

INDEX MAPS.

T. 6 N. R. 11 E. 2nd Mer.

	422 423	422 423	422 423	422 424	422 424	421 424						
426	6	445	5	444	4	443	3	442	2	441	1	421
	444	444	443	442	442	441						
426	7	444	8	443	9	442	10	441	11	440	12	421
	440	440	438	437	436	435						
426	18	440	17	438	16	437	15	436	14	434	13	421
	439	439	438	437	436	435						
425	19	439	20	438	21	436	22	435	23	434	24	420
	434	433	432	431	429	428						
425	30	433	29	431	28	430	27	429	26	428	25	420
	433	432	431	430	429	427						
424	31	432	32	431	33	430	34	428	35	427	36	420
	417	417	417	417	417	418						
	419	419	419	418	418							

T. 7 N. R. 11 E. 2nd Mer.

	452 454	452 454	452 454	452 453	453 453	453 453						
456	6	475	5	474	4	473	3	472	2	471	1	451
	475		475		474		473		472		471	
456	7	475	8	474	9	473	10	472	11	471	12	451
	469		469		469		470		470		470	
456	18	468	17	467	16	466	15	465	14	464	13	451
	468		468		467		466		465		464	
455	19	467	20	467	21	466	22	465	23	464	24	450
	461		462		462		462		463		463	
455	30	461	29	460	28	459	27	458	26	457	25	450
	461		461		460		459		458		457	
454	31	460	32	459	33	459	34	458	35	457	36	449
	448		447		447		447		447		447	
	448		448		449		449		449		449	

The figures on the lines refer to the page.

The figures on the lines refer to the page.

Township N. 6 North, Range N. 11 E, 2. Mer. Indiana 417
Ch. lks.

South Boundary, (Random line)

East On S. boundary of Sec. 31
34.00 at Brook 15 th. wide Course S. W.
40.00 Set temp. q. Sec. post
80.00 Set temp. Cor. to Sec. 31 & 32
Land level timber Beech, Sugar, Oak &c.

East On S. boundary of Sec. 32
40.00 Set temp. q. Sec. post
80.00 Set temp. Cor. to Sec. 32 & 33
Land flat, timber Beech, Oak, Gum &c.

East On S. boundary of Sec. 33
5.50 at Brook 10 th. wide Course with the line
crossing it several times, to its mouth considerable
fall, but no water
40.00 Set temp. q. Sec. post
44.10 at Brook 20 th. wide Course S. E.
62.35 a Creek 50 " " " S.
71.20 a Brook 8 th. wide C. S. W. fall apparently 100 feet in
1 q. short distance, great part of year water
80.00 Set temp. Cor. to Sec. 33 & 34
Land hilly timber Beech, Ash, Oak &c
October 31st 1876

East On S. boundary of Sec. 34
40.00 Set temp. q. Sec. post
80.00 Set temp. Cor. to Sec. 34 & 35
Land level rich, timber Sugar, Poplar, Beech
Walnut &c, underg. Spruce

East On S. boundary of Sec. 35
7.00 at Brook 5 th. wide Course S.
17.54 a do. 5 " " " S.
40.00 Set temp. q. Sec. post
80.00 Set temp. Cor. to Sec. 35 & 36
Land timber &c. Same as on last mile

418

Sec. N. M. E. 2^d Mer. Indiana

ch. 1/2 hr.

East On S. boundary of Sec. 36

11.70 at Brook 4 1/2 hrs. wide Course S. E.

40.00 At stump of Sec. post

43.25 at Brook 10 hrs. wide Cr. S. E.

54.25 at Brook 25 " " S. E.

73.65 intersected the Range line 4 1/2 hrs. S. of the
Crt. to Township 5 S. 6 N. Range 11 E. 12 E.
First 1/2 mile level - cut hilly, timber Beech
Sugar, Ash, Oak, Hickory &c.

True Line.

West On S. boundary of Sec. 36

11.53 at Beech 16 m. dist.

30.03 at Do. 16 " "

40.00 At gr. Sec. post, from which
at Beech 16 m. dist. (bray N 67 W 3 hrs. dist.)
a Do. 6 " " " N 10 E 26 " "

59.66 at Beech 24 " "

70.70 at Do. 24 " "

80.00 At post cor. to Sec. 35 & 36, from which
a Lynn 36 m. dist. (bray N 21 W 4 hrs. dist.)
at Beech 30 " " " N 67 W 20 " "

West On S. boundary of Sec. 35

5.30 at Ash 36 m. dist.

22.10 at Beech 34 " "

40.00 At gr. Sec. post, from which
at Beech 30 m. dist. (bray N 42 E 23 hrs. dist.)
a Do. 12 " " " N 22 W 35 " "

62.55 at Q. Walnut 20 " "

80.00 At post cor. to Sec. 34 & 35, from which
at Beech 22 m. dist. (bray N 2 E 10 hrs. dist.)
and Ash 24 " " " N 30 W 30 " "

West On S. boundary of Sec. 34

16.53 at Beech 18 m. dist.

West N. W. M. E. 2.nd Mer. Indiana 419

ch. 1/2

38.58 a Sugar 20 m. dia.

40.00 Set of Sec. post, from which
an Ash 8 m. dia. bray N 26 1/2 W 33 1/2 ch. dist. 5
a Sugar 13 " " " N 9 W 16 " "

51.23 a Beech 18 " "

66.93 a Do 16 " "

80.00 Set post Cor. to Sec. 33 & 34, from which
a Hickory 8 m. dia. bray N 48 1/2 W 12 ch. dist. 5
a Sugar 13 " " " N 18 W 31 " "

West On S. boundary of Sec. 33

10.20 a Sugar 10 m. dia.

40.00 Set of Sec. post, from which
a Beech 11 m. dia. bray N 24 W 19 ch. dist. 5
a Do. 13 " " " N 43 E 27 " "

52.60 a Beech 15 " "

80.00 Set post Cor. to Sec. 32 & 33, from which
a Hickory 13 m. dia. bray N 24 W 17 ch. dist. 5
a Beech 8 " " " N 14 W 11 " "

West On S. boundary of Sec. 32

29.05 a Hickory 11 m. diameter

40.00 Set of Sec. post from which
a Sweet Gum 22 m. dia. bray N 39 E 19 ch. dist. 5
an Elm 14 " " " N 21 E 12 " "

42.40 a W. Oak 36 " "

51.07 a Do. 22 " "

80.00 Set post Cor. to Sec. 31 & 32, from which
a W. Oak 10 m. dia. bray N 33 E 3 ch. dist. 5
a Beech 15 " " " N 44 W 29 " "

West On S. boundary of Sec. 31

12.08 a Beech 18 m. dia.

40.00 Set of Sec. post, from which
a Beech 24 m. dia. bray N 33 W 41 ch. dist. 5
a Do. 9 " " " N 21 E 21 " "

420) Loc. R M E. I. Mer. Indiana
ch. 1/4
64.70 a cherry 1 1/2 mi. dist.
73.64 to Township Corner. Nov. 1st 1806

East Boundary Oct. 1806
North On E. boundary of Sec. 36
25.00 a water course 6 1/4 mi. wide C. S. E.
40.00 Set gr. Sec. post, from which
a Beech 16 mi. dist. bear North 14 1/4 mi. dist. of
a Sugar 20 " " " 185 N 25 1/4 " "
72.50 a Brook 1 1/2 mi. wide Course E.
80.00 Set post Cor. to Sec. 25 & 36, from which
a Sugar 36 mi. dist. bear S 40 W 33 1/4 mi. dist. of
a Walnut 14 " " " N 11 W 16 " "
This mile broken 3rd rate land, timber
Beech, Sugar, Sycamore.

North On E. boundary of Sec. 25
11.50 a stream 10 1/4 mi. wide Course S. E.
35.00 a Do. head S. E.
40.00 Set gr. Sec. post, from which
a Beech 3 mi. dist. bear N 80 E 7 1/4 mi. dist. of
a Logwood 4 " " " N 50 W 10 " "
65.00 Crossed the last mentioned stream head S. W.
80.00 Set post, Cor. to Sec. 24 & 25, from which
a Beech 30 mi. dist. bear N 25 E 24 1/4 mi. dist. of
a Do. 6 " " " N 55 E 16 " "
This mile broken 3rd rate land, timber Beech
Oak, Sugar &c

North On E. boundary of Sec. 24
40.00 a Poplar 9 mi. dist. Stand for gr. Sec. Cor.
78.00 a stream 16 1/4 mi. wide Course W.
80.00 Set post Cor. to Sec. 13 & 24, from which
a Beech 30 mi. dist. bear N 30 E 8 1/4 mi. dist. of
a Logwood 5 " " " S 50 E 6 " "
This mile level 2nd rate timber, Beech, Poplar &c.

421

S. N. R. M. E. D. Mer. Indiana

ch. 4th
 North On E. boundary of Sec. 13
 40.00 Set of Sec. post, from which
 an Ironwood 6 in. dia. beam N 70 E 4 1/2 hrs. dist. of
 a Beech 24 " " " West - " "
 43.50 a stream 5 hrs. wide Course S. W.
 78.00 a do 6 " " " W.
 80.00 Set post Cor. to Sec. 12 of 13, from which
 a Beech 24 in. dia. beam N 20 E 1 3/4 hrs. dist. of
 a do. 14 " " " N 70 W 18 " "
 Level 2nd rate Beech timber land

North On E. boundary of Sec. 12
 40.00 Set of Sec. post, from which
 a Sugar 12 in. dia. beam N 30 W 14 hrs. dist. of
 a Beech 3 " " " S 60 E 11 " "
 80.00 Set post Cor. to Sec. 1 of 12, from which
 a Sugar 12 in. dia. beam S 5 E 2 1/2 hrs. dist. of
 a Beech 5 " " " N 70 W 14 " "
 This mile low wet soil, timber Ash, Beech &c 3rd rate

North On E. boundary of Sec. 1
 40.00 Set of Sec. post from which
 a Beech 15 in. dia. beam N 57 E 2 1/2 hrs. dist. of
 a do. 28 " " " S 72 W 14 " "
 43.00 a stream 16 hrs. wide Course E.
 80.00 a Beech 20 in. dia. notched on four sides for
 corner to Township 6 of 7 North, Range 11 of 12
 East. This mile level 2nd rate land, timber
 Beech, Ash, Sugar &c.

North Boundary

Random line - Course of it S 89.20' W

West On S. boundary of Sec. 36, T. 1 N. R. 11 E.
 2.70 a Brook 12 hrs. wide Course S.
 15.54 a do 6 " " " S. E.
 40.00 Set temp. of Sec. post

422 T. N. R. N. E. 2nd Mer Indiana
ch. 1st 1/2

42.52 at Brook 5th 1/2, wide Course S. E.

80.00 At temp^y. Cor. to Sec. 35 & 36

Land waving good, timber Beech, Sugar,
Oak, Poplar &c.

West On S. boundary of Sec. 35, T. N. R. N. E.

40.00 At temp^y. gr. Sec. post

67.90 at Brook 6th 1/2, wide Course S. W.

80.00 At temp^y. Cor. to Sec. 34 & 35

Land level, timber Beech, Sugar, Oak, Poplar

West On S. boundary of Sec. 34, T. N. R. N. E.

9.50 at Brook 15th 1/2, wide C. S. N. W.

18.40 a do. 12 " " " N. W.

40.00 At temp^y. gr. Sec. post

54.50 at Brook 10th 1/2, wide Course N.

80.00 At post Cor. to Sec. 33 & 34, temporarily

Land level timber Beech, Oak, Poplar, Sugar &c.
November 20th 1806

West On S. boundary of Sec. 33, T. N. R. N. E.

9.35 at Brook 20th 1/2, wide run S. W.

22.70 a do. 5 " " " S.

58.00 a do 5 " " " S.

80.00 At temp^y. Cor. to Sec. 32 & 33

Land timber &c. Same as on last mile

West On S. boundary of Sec. 32, T. N. R. N. E.

28.16 at Brook 4th 1/2, wide C. S. N. W.

40.00 At temp^y. gr. Sec. post

52.90 at Brook 12th 1/2, wide Course S. W.

80.00 At temp^y. Cor. to Sec. 31 & 32, T. N. R. N. E.

Land timber &c. Same as on last mile

West On S. boundary of Sec. 31, T. N. R. N. E.

1.30 at Brook 20th 1/2, wide Course N. W.

S. N. P. M. E. D. Mer. Indiana 423

ch. l. l. l.

- 10.50 Same Brook run N.E.
- 13.55 Same Brook run S.W. line run down it crossing it repeatedly
- 15.00 Same Brook run N.W.
- 40.00 Set temp. gr. See. post
- 46.80 a Brook 8 l. m. wide Course N.W.
- 66.07 Tell 706 l. m. S. of Township Corner.
Land level, timber Beech, Poplar, Sugar Sycamore &c.

- True Line - its Course is S 89° 90' E
- East On S. boundary of Sec. 31, T. 7 N. R. 11 E.
- 3.25 a Brook 25 l. m. wide Course S 80° N. line run up it 225 leaving N.E.
 - 12.50 a Poplar 36 in. dia.
 - 18.50 a Brook 8 l. m. wide Course N.
 - 26.07 Set gr. See. post, from which
a S. Gum 20 in. dia. tray N 87° 120 l. m. dist. of
an Elm 8 " " " N 89° 24 " "
 - 28.62 a Brook 2 l. m. wide Course N.W.
 - 31.02 a Beech 18 in. dia.
 - 66.07 Set post cor. to Sec. 31 & 32, from which
a Beech 30 in. dia. tray N 75° 31 l. m. dist. of
a do. 16 " " " N 19° 19 " "

- East On S. boundary of Sec. 32, T. 7 N. R. 11 E.
- 40.00 Set gr. See. post, from which
a Poplar 20 in. dia. tray N 16° 4 l. m. dist. of
a Beech 8 " " " N 43° 21 " "
 - 80.00 Set post cor. to Sec. 32 & 33, from which
a Poplar 22 in. dia. tray N 60° 12 l. m. dist. of
a Beech 10 " " " N 51° 15 " "

- East On S. boundary of Sec. 33, T. 7 N. R. 11 E.
- 19.40 a Blk. Gum 16 in. dia.
 - 40.00 Set gr. See. post, from which

424 West RME. 2^d Mer. Indiana
ch. l. l. l.

at Beech 11 in. dia. bray N 11 7/8 E 1/2 m. dist. of
a Do. 8 " " S 22 E 18 "
80.00 Set post Cor. to Sec. 33 & 34 from which
a Sugar 10 in. dia. bray N 47 E 25 1/4 m. dist. of
at Beech 22 " " " S 55 W 15 " "

East On S. boundary of Sec. 34, T. 7 N. R. 10 E.

40.00 Set of Sec. post, from which
a Lumn 7 in. dia. bray S 30 E 12 1/2 m. dist. of
at Beech 10 " " " N 25 W 34 " "

80.00 Set post Cor. to Sec. 34 & 35, from which
a Sassafras 9 in. dia. bray S 36 E 28 1/2 m. dist. of
a cherry tree 7 " " " N 39 W 16 " "

East On S. boundary of Sec. 35, T. 7 N. R. 10 E.

40.00 Set of Sec. post, from which
a Beech 6 in. dia. bray N 41 E 11 1/2 m. dist. of
a Do. 16 " " " S 54 W 10 " "

80.00 Set post Cor. to Sec. 35 & 36, from which
a Beech 7 in. dia. bray N 32 E 9 1/2 m. dist. of
at P. Gum 24 " " " S 18 E 21 " "

East On S. boundary of Sec. 36, T. 7 N. R. 10 E.

40.00 Set of Sec. post, from which
at Beech 18 in. dia. bray N 34 E 30 1/2 m. dist. of
a Do. 9 " " " S 83 1/2 W 18 " "

80.00 to Township Corner. Nov. 21st 1806

West Boundary var. 5° 30' E.

North On E. boundary of Sec. 36, T. 6 N. R. 10 E.

7.25 a Brook 5 in. in dia. Corns 11.

17.95 a Do. 5 " " " W.

26.14 a Do. 30 " " " S 10 W.

29.90 at Beech 12 in. dia. bray

40.00 Set of Sec. post, from which
an Ash 22 in. dia. bray N 28 E 12 1/2 m. dist. of

West N E 2^d Mer. Indiana 425
ch. 1th

a Lynn 22 in. dia. beam N 61 W 27 lbr. dist. 7
47.33 a Beech 24 "
48.90 a Brook 5 lbr. wide Course E.
55.42 a Beech 28 in. dia.
63.50 a Brook 5 lbr. wide Course E.
67.50 a do 5 " " " E.
80.00 Set post Cor. to Sec. 25 of 36, from which
a Chestnut 36 in. dia. beam N 31 W 10 lbr. dist. 7
a Beech 18 " " " N 65 E 36 "
Land broken timber Beech, Oak, Poplar
Some ash, Chestnut &c.

North On E. boundary of Sec. 25, T 10 E

7.30 a Brook 4 lbr. wide Course S. E.
12.75 a do. 3 " " " S. E.
17.20 a Maple 30 in. dia.
40.00 Set of. Sec. post, from which
a Beech 14 in. dia. beam N 36 W 22 lbr. dist. 7
a do. 14 " " " N 46 E 10 "
62.60 a Maple 18 " "
80.00 Set post Cor. to Sec. 24 of 25, from which
a Sugar 36 in. dia. beam N 18 W 14 lbr. dist. 7
a Beech 14 " " " N 27 E 29 "
Land flat timber Beech, Ash, Gum, Poplar
November 17th 1876

North On E. boundary of Sec. 24, T 10 E.

4.55 a Creek 40 lbr. wide Course S.
23.73 a Beech 24 in. dia.
27.48 a Brook 6 lbr. wide Course S. W.
40.00 Set of. Sec. post, from which
a Poplar 10 in. dia. beam N 24 E 20 lbr. dist. 7
a W. Oak 6 " " " N 18 W 23 "
47.05 a Beech 28 " "
56.50 a Brook 10 lbr. wide Course W.
67.54 a Sweet Gum 36 in. dia.

426 T6 N. R. M. E. D. Mer. Indiana

ch. 1/2

80.00 Set post Cor. to Sec. 13 of 24 from which
a Beech 36 in. dia. bear N 86 E 5 1/2 th. dist. of
a Do. 30 " " " N 73 W 24 " "
Sand timber &c. same as on the last mile

North On E. boundary of Sec. 13, T6 N. R. 10 E.

6.80 at Brook 15 th. wide Cr. S. W.

24.70 at Beech 13 in. dia.

40.00 Set gr. Sec. post, from which
a Sugar 13 in. dia. bear S 12 W 15 th. dist. of
at Beech 8 " " " N 66 1/2 E 27 " "

54.71 at Elk Gum 15 " "

57.14 at Brook 4 th. wide Cr. W.

73.75 a Do 20 " " " S 10 W. line runs up to Cor.

80.00 Set post Cor. to Sec. 12 of 13, from which
a Beech 28 in. dia. bear S 32 W 55 th. dist. of
a Hickory 7 " " " N 15 E 30 " "
Sand level, timber Beech, Oak, Hickory
Poplar &c. under. Spruce, Dogwood, &c.

North On E. boundary of Sec. 12, T6 N. R. 10 E.

10.50 Same brook (above) Course up to it N. E.

17.45 Same brook line runs up it Crossing it several times

33.58 a Poplar 20 in. dia.

40.00 Set gr. Sec. post, from which
a Beech 22 in. dia. bear N 52 E 34 th. dist. of
a Do. 20 " " " S 27 W 45 " "
a water course 100 th. E. of line

54.78 a Poplar 24 in. dia.

80.00 Set post Cor. to Sec. 11 of 12, from which
a R. Gum 15 in. dia. bear S 5 W 3 1/2 th. dist. of
a Do. 16 " " " N 31 E 25 " "
Sand flat, timber Beech, Hickory, Maple
Oak, Gum &c.

North On E. boundary of Sec. 1, T6 N. R. 10 E.

Set N.E. 2nd Mer. Indiana 427

ch. 1/2

- 14.45 a Maple 28 in. dia.
 40.00 Set gr. Sec. post, from which
 a Maple 18 in. dia. - bear S 78° W 10 1/2 ch. dist. of
 a Beech 13 " " " N 62° E 27 " "
 49.15 a S. Gum 28 " "
 57.25 a Brook 10 ch. wide C. S. W
 66.35 a W. Oak 36 in. dia.
 80.00 Set post Cor. to Township 68 1/2 North, of
 Range 10 1/2 East, from which
 a S. Gum 18 in. dia. - bear N 40° E 13 1/2 ch. dist. of
 a Beech 8 " " " S 23° W 28 " "
 Land timber &c. same as on the last mile
 November 18th 1806
 Surveyed by
 John Brownson,
 Deputy Surveyor

Subdivision

North Between Secs. 35 & 36

- 24.00 a Brook 6 ch. wide Course E.
 40.00 Set gr. Sec. post, from which
 a Beech 28 in. dia. - bear N 26° E 26 ch. dist. of
 a do. 14 " " " S 26° W 14 " "
 80.00 Set post Cor. to Secs. 25, 26, 35 & 36, from which
 a Beech 12 in. dia. - bear N 30° E 20 ch. dist. of
 a do. 8 " " " S 17° W 11 " "
 Level Beech timbered land

East On Range, between Secs. 25 & 36

- 35.00 a Brook 8 ch. wide Course S. W.
 40.00 Set temp. gr. Sec. post
 68.00 a Brook 8 ch. wide C. S. W. Much rocks
 80.00 Intersected E. boundary at the post
 Land Broken timber Beech &c.

West Corrected between Secs. 25 & 36

428

T6 N 1211 E. 2^d Mer. Indianach 2th

40.00 Set of Sec. post at average dist. from which
a Beech 14 in. dia. bray South 7th dist. of
a do. 28 " " " N 10 E 25 " "
80.00 to Sec. Corner

North / Between Secs. 25 & 26

30.00 a Brook 6th, wide Corner E.

40.00 Set of Sec. post, from which
a Poplar 60 in. dia. bray East 9th, dist. of
a Beech 18 " " " N 35 W 34 " "

80.00 Set post Cor. to Secs. 23, 24, 25 & 26 from which
a Beech 24 in. dia. bray N 60 E 20th, dist. of
a do. 10 " " " West 26 " "
Sand, timber Beech, Oak & Poplar

East Ont. Land. between Secs. 24 & 25

39.50 a Brook 8th, wide Corner S.

40.00 Set temp. of Sec. post

74.00 a Brook 10th, wide Corner S.

80.08 Intersected E. boundary at this Corner
Beech & Poplar timbered land

West Corrected between Secs. 24 & 25

40.04 Set of Sec. post at average dist. from which
a Gum 12 in. dia. bray N 10 E 17th, dist. of
a Beech 16 " " " N 20 W 20 " "

80.08 to Sec. Corner

North / Between Secs. 34 & 35

40.00 Set of Sec. post, from which

a W. Ash 40 in. dia. bray N 36 W 16th, dist. of
a Beech 12 " " " S 80 E 8 " "

52.00 a Brook 8th, wide C. W. much fall

60.00 a do. 8 " " " W. " "

80.00 Set post Cor. to Secs. 26, 27, 34 & 35, from which
a W. Elm 4 in. dia. bray S 3 W 20th, dist. of

429

St. N. R. M. E. 2^d Mer. Indiana
ch²ky

at Beech 8 in. dia^r. beam N 26 E 11 lks. dist. of
Sand level timber Oak, Beech, ash &c.

East On Land^m. between Secs. 26 & 35
40.00 Set temp^y. gr. Sec. post
80.00 Intersected the S. of S. line at the Corner.
Level Beech, timbered land

West Corrected between Secs. 26 & 35
40.00 Set gr. Sec. post at average dist. from which
a Sugar 8 in. dia^r. beam N 77 W 3 lks. dist. of
a Blue Ash 16 " " " N 25 E 13 " "
80.00 to Sec. Corner

North Between Secs. 26 & 27
14.50 at Brook 10 lks. wide Course W.
40.00 Set gr. Sec. post, from which
a Beech 8 in. dia^r. beam N 57 W 5 lks. dist. of
a do. 18 " " " N 20 E 35 " "
Good level land, Beech, Poplar, ash &c. ug. Spruce
80.00 Set post Cor. to Secs. 22, 23, 26 & 27 from which
a Beech 20 in. dia^r. beam West 28 lks. dist. of
a do. 8 " " " N 80 E 19 " "
Level rich land, ash, Poplar, Beech &c

East On Land^m. between Secs. 23 & 26
36.00 a Creek 50 lks. wide Course S. W. rocky bottom
40.00 Set gr. Sec. post, from which temporarily
80.00 Intersected East boundary at the Corner
Level Beech & Poplar land

West Corrected between Secs. 23 & 26
40.00 Set gr. Sec. post at average dist. from which
a Beech 18 in. dia^r. beam South 4 lks. dist. of
a do. 12 " " " N 20 E 19 " "
80.00 to Sec. Corner

430

S. N. R. M. E. 2^d. Mer. Indianach² l¹ h¹

North Between Secs. 33 & 34

21.00 a Water Course 8 l¹ h¹, wide runs N.

35.00 a do. do 40 " " " S. W.

40.00 At gr. Sec. post, from which

a Sugar 9 in. dia. tree, bearing S 30 E 11 l¹ h¹, dist. of

a do. 10 " " " N 69 W 32 " "

80.00 At post Cor. to Secs. 27 & 28, 33 & 34, from which

a Dogwood 10 in. dia. tree, bearing S 57 E 34 l¹ h¹, dist. of

an Ironwood 2 " " " N 10 W 15 " "

First 1/2 mile level Beech, land, last 1/2
mile some Broken Beech & Poplar

East On Road, between Secs. 27 & 34

25.00 a Creek 50 l¹ h¹, wide Course South

30.00 a Brook 8 " " " "

40.00 At temp. gr. Sec. post

80.00 Intersected the N. & S. line at the Corner
Level Beech & Ironwood land

West Corried between Secs. 27 & 34

40.00 At gr. Sec. post, at average dist. from which

a Beech 20 in. dia. tree, bearing North 6 l¹ h¹, dist. of

a do. 12 " " " S 70 E 14 " "

80.00 to Sec. Corner

North Between Secs. 27 & 28

40.00 At gr. Sec. post, from which

a Lassafras 6 in. dia. tree, bearing S 38 W 3 l¹ h¹, dist. of

a Red Elm 16 " " " N 70 E 24 " "

46.50 a Brook 8 l¹ h¹, wide Course S. W.

60.00 a do. 8 " " " S. W.

80.00 At post Cor. to Secs. 21, 22, 27 & 28, from which

a Beech 10 in. dia. tree, bearing East 20 l¹ h¹, dist. of

a do. 14 " " " West 26 " "

Some Broken, Beech Poplar & Spruce

431

S. A. R. M. E. 2. Mr. Indiana

Ch. 2. 1/2
 East On Random between Sec. 22 & 27
 40.00 Set temp. g. of Sec. post.
 70.00 a brook 8 lks. wide Course S. E.
 78.00 a No. 30 " " " S. much rocks on E. side
 81.00 Intersected the N. & S. line at the post.
 broken 3^d. rate land -

West Corrected between Sec. 22 & 27
 40.50 Set g. of Sec. post. at average dist. from which
 a Beech 14 in. dia. bears S 30 W 12 lks. dist. &
 a No. 22 " " " N 40 W 66 " "
 81.00 To Section Corner

North Between Sec. 32 & 33
 40.00 Set g. of Sec. post. from which
 a Poplar 6 in. dia. bears S 10 E 6 lks. dist. &
 a Lynn 18 " " " N 16 W 10 " "
 80.00 Set post cor. to Sec. 28, 29, 32 & 33, from which
 an Elm 12 in. dia. bears S 63 E 21 lks. dist. &
 a Beech 24 " " " N 26 W 16 " "
 Level Beech & Poplar Land.

East On Random between Sec. 28 & 33.
 40.00 Set temp. g. of Sec. post.
 58.00 a Brook 10 lks. wide Course S. E.
 52.00 a Brook 8 " " " S. E.
 80.00 Intersected the N. & S. line at the post.
 Some broken Beech Sugar &c.

West Corrected between Sec. 28 & 33
 40.00 Set g. of Sec. post. at average dist. from which
 a Beech 12 in. dia. bears South 18 lks. dist. &
 a W. Ash 36 " " " N 22 E 23 " "
 80.00 To Section Corner

North Between Sec. 28 & 29.

432

H. N. P. M. E. 2^d Mer. Indiana

ch. & lks.

- 40.00 Set of. Sec. post, from which
a Maple 12 in. dia. notched on all sides
for the of. Sec. post.
- 78.00 a Brook 8 lks. wide Course S. W.
- 80.00 Set post Cor. to Sect. 20, 21, 28 & 29, from which
a W. Oak 30 in. dia. bears S 39 W 37 lks. dist. &
a Beech 6 " " " N 39 E 9 " "
level Cold Land Beech Maple

- East Random between Sect. 21 & 28
- 10.00 a Brook 10 lks. wide Course S. Clifts of rock on E. Side
- 32.00 a No. 20 " " " S.
- 40.00 Set temp. of. Sec. post.
- 75.00 a Brook 3 lks. wide Course S. W.
- 80.00 Intersected the N. & S. line at the Corner
Level Beech Land -

- West Corrected between Sect. 21 & 28
- 40.00 Set of. Sec. post, at average dist. from which
a Beech 13 in. dia. bears S 75 E 24 lks. dist. &
a No. 18 " " " N 55 W 39 " "
- 80.00 to Section Corner

- North Between Sect. 31 & 32
- 20.40 a W. Oak 20 in. dia.
- 40.00 Set of. Sec. post, from which
a Beech 16 in. dia. bears East 17 lks. dist. &
a No. 8 " " " S 40 W 25 " "
- 80.00 Set post Cor. to Sect. 29, 30, 31 & 32, from which
a Gum 36 in. dia. bears S 60 E 19 lks. dist. &
a Beech 9 " " " N 80 W 23 " "
this mile low net 5th rate Land

- East On Random between Sect. 32 & 29.
- 40.00 Set temp. of. Sec. post.
- 80.50 Intersected the N. and S. line at the post.

433
Sec. 29 & 30 Mer. Indiana
ch. 11/2

Level Beech Ash Cold 3rd rate Land

West Corrected between Sec. 29 & 32

40.25 Set of Sec. post at average dist. from which
 a Beech 14 in. dia. bears South 12 lh. dist. &
 a No. 24 " " " N 25 E 25 " "

80.50 to Section Corner

West Between Sec. 30 & 31.

40.00 Set of Sec. post, from which
 a Beech 16 in. dia. bears East 11 lh. dist. &
 a No. 8 " " " S 40 W 25 " "

56.50 a Brook 10 lh. wide Course S. W.

74.50 Intersected the W. boundary 12 lh. N. of post
 Set post Cor. to Sec. 30 & 31, from which
 a Chestnut 36 in. dia. bears S 40 W 8 lh. dist. &
 a Beech 16 " " " S 85 E 18 " "
 this Mile level Beech Sugar &c. Spice Birch

North Between Sec. 29 & 30

40.00 Set of Sec. post, from which
 a Beech 14 in. dia. bears North 17 lh. dist. &
 a No. 14 " " " South 56 " "

68.00 a Brook 6 lh. wide course S. W.

80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which
 a Beech 14 in. dia. bears S 20 E 11 lh. dist. &
 a No. 14 " " " N 80 E 38 " "
 Beech Ash timber Cold Soil 3rd rate -

East On Prandom between Sec. 20 & 29.

40.00 Set temp. of Sec. post.

80.25 Intersected the N. & S. line 50 lh. S. of post.
 Level Beech land -

West Corrected between Sec. 20 & 29

40.12 Set of Sec. post, at average dist. from which

434

Hot VME. D. Mer. Indiana

ch. l. l.

a Beech 16 in. dia. bears S 35 E 10 lhr. dist. &
 a Gum 8 " " " N 35 W 8 " "
 80.25 to Section Corner

West Between Secs. 19 & 20

40.00 Set of Sec. post. from which
 a Sugar 14 in. dia. bears N 65 W 19 lhr. dist. &
 a Beech 12 " " " South 19 " "

74.00 Intersected the W. boundary at the post.
 Land wet Beech Elm &c. 3^d. rate.

North Between Secs. 23 & 24

40.00 Set of Sec. post. from which
 a W. Ash 60 in. dia. bears S 50 W 16 lhr. dist. &
 a Gum 24 " " " S 45 E 15 " "

58.00 a Brook 6 lhr. wide course N. W.

68.00 a No. 15 " " " W. a cliff of rocks 20 feet high

80.00 Set post Cor. To Secs. 13, 14, 23 & 24, from which
 a Beech 18 in. dia. bears S 20 W 7 lhr. dist. &
 a Sugar 14 " " " N 60 W 11 " "
 Level Beech Land.

East On Prandon between Secs. 13 & 24

12.00 a Brook 14 lhr. wide course S.

29.00 a No. 6 " " " S.

40.00 Set temp. of Sec. post.

80.10 Intersected the N. & S. line at the post.
 Over level Land Beech Poplar &c.

West Corrected between Secs. 13 & 24

40.05 Set of Sec. post. at average dist. from which
 a Beech 18 in. dia. bears N 88 E 7 lhr. dist. &
 a W. Oak 15 " " " S 15 W 26 " "

80.10 to Section Corner

North Between Secs. 13 & 14.

Lot RME, 2^d Mer. Indiana

435

ch^d l^y

- 9.00 a Brook 9 l^h. wide Course S. E.
 40.00 Set q^r. Sec. post. from which
 a Beech 24 in. dia. bears S 58 N 23 l^h. dist. 4
 a Do. 9 " " " N 11 E 7 " "
 52.00 a W. Oak 10 " "
 80.00 Set post Cor. to Sec^s. 11, 12, 13 & 14, from which
 a Beech 8 in. dia. bears S 60 E 21 l^h. dist. 4
 a Do. 22 " " " S 60 N 10 " "
 Beech level 3^d. rate Land -

East On Random between Sec^s. 12 & 13

- 40.00 Set temp^y. q^r. Sec. post.
 56.00 a Brook 10 l^h. wide Course S.
 80.15 Intersected the E. boundary at the post.
 Level Beech Cold Soil 3^d. rate -

West Corrected between Sec^s. 12 & 13

- 40.07 Set q^r. Sec. post. at average dist. from which
 a Beech 22 in. dia. bears S 10 N 12 l^h. dist. 4
 a Do. 8 " " " N 31 E 23 " "
 80.15 To Section Corner

North Between Sec^s. 22 & 23

- 3.00 a Brook 30 l^h. wide Course S. W.
 30.00 a Do. 30 " " " S. E.
 40.00 Set q^r. Sec. post. from which
 a Poplar 18 in. dia. bears N 80 N 27 l^h. dist. 4
 a Beech 18 " " " S 55 E 15 " "
 80.00 Set post Cor. to Sec^s. 14, 15, 22 & 23, from which
 a Beech 24 in. dia. bears N 11 E 9 l^h. dist. 4
 a Do. 24 " " " N 62 N 24 " "
 Broken Beech Land, Spice 3^d. rate

East On Random between Sec^s. 14 & 23

- 40.00 Set temp^y. q^r. Sec. post.
 41.00 a Brook 25 l^h. wide Course S.

436

West N.E. 2^d. Mer. Indiana

ch. lly

79.40 Intersected the N. & S. line 9 hrs. N. of post.
Over broken Beech Land

West Corrected between Secs. 14 & 23

39.70 Set of. Sec. post. at average dist. from which
a Sugar 18 in. dia. bears North 6 hrs. dist. &
a Beech 12 " " " S 38 E 26 " "

79.40 to Section Corner

North Between Secs. 14 & 15

03.00 a Beech 10 in. dia.

40.00 Set of. Sec. post. from which
a Poplar 12 in. dia. bears N 2 W 24 hrs. dist. &
a W. Oak 18 " " " N 2 W 24, " "

77.00 a Brook 10 hrs. wide Course S.E.

80.00 Set post Cor. to Secs. 10, 11, 14 & 15, from which
a Beech 14 in. dia. bears N 16 E 18 hrs. dist. &
a No. 10 " " " S 30 W 13 " "
Level 2^d. rate Land Beech &c. under yth Spice -

East On Random between Secs. 11 & 14

40.00 Set temp. of. Sec. post.

41.00 a Brook 5 hrs. wide Course South

56.00 a No. 16 " " " South

79.60 Intersected the N. & S. line at the post.
Level Beech Land

West Corrected between Secs. 11 & 14

39.80 Set of. Sec. post. at average dist. from which
a Beech 14 in. dia. bears N 50 W 26 hrs. dist. &
a No. 18 " " " N 57 E 22 " "

79.60 to Section Corner

North Between Secs. 21 & 22

40.00 Set of. Sec. post. from which
a Beech 15 in. dia. bears N 62 E 26 hrs. dist. &

437

S. N. R. N. E. 2. Mer. Indiana

ch. l. l. l.

a Beech 7 in. dia. bears S 62 W 22 lks. dist. 4
 80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which
 a Beech 18 in. dia. bears S 50 E 7 lks. dist. 4
 a No. 14 " " " S 74 W 25 " "
 Level Beech Land

East On Random between Sec. 15 & 22.

40.00 Set temp. q. Sec. post.

40.50 a Water Course 12 lks. wide Course S.

80.60 Intersected the N. & S. line 30 lks. N. of post.
 this mile level Beech flat soil.

West Corrected between Sec. 15 & 22

40.30 Set q. Sec. post, at average dist. from which
 a Lym 12 in. dia. bears N 70 W 14 lks. dist. 4
 a W. Elm 14 " " " N 67 E 24 " "

80.60 to Section Corner

North Between Sec. 15 & 16

40.00 Set q. Sec. post, from which
 a Beech 14 in. dia. bears S 80 W 5 lks. dist. 4
 a Poplar 8 " " " S 80 E 18 " "

80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which
 a Beech 9 in. dia. bears N 45 E 14 lks. dist. 4
 a No. 9 " " " N 70 W 17 " "
 Low wet beech Maple Cold Land 3rd rate

East On Random between Sec. 10 & 15

40.00 Set temp. q. Sec. post.

80.00 a Brook 10 lks. wide Course S.

80.34 Intersected the N. & S. line 20 lks. N. of post.
 Land timber &c. same as last mile

West Corrected between Sec. 10 & 15

40.17 Set q. Sec. post, at average dist. from which
 a W. Oak 18 in. dia. bears S 30 E 16 lks. dist. 4

438

Set R N E. 2nd Mer. Indiana ch. lky

a Beech 10 in. dia. bears N 45 W 9 lks. dist. &
80.34 to Section Corner

North Between Sec. 20 & 21.

40.00 Set of Sec. post. from which
a Hickory 16 in. dia. bears S 20 E 16 lks. dist. &
a S. Oak 18 " " " N 40 W 22 " "

80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which
a Beech 8 in. dia. bears S 35 E 16 lks. dist. &
a Maple 8 " " " North 24 " "
Maple Beech &c. Soil Cold -

East On Prandom between Sec. 16 & 21.

39.50 a Brook 25 lks. wide course S. rocks S. side

40.00 Set temp. of Sec. post

79.60 Intersected the N. & S. line at the post.
Land level Beech Maple &c. 3rd rate

West Corrected between Sec. 16 & 21

39.80 Set of Sec. post. at average dist. from which
a B. Ash 12 in. dia. bears S 20 E 20 lks. dist. &
a Beech 8 " " " N 18 E 26 " "

79.60 to Section Cor. to Sec.

North Between Sec. 16 & 17

40.00 Set of Sec. post. from which
a Beech 15 in. dia. bears N 8 1/2 E 23 lks. dist. &
a Do. 14 " " " S 6 1/2 W 18 " "

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which
a Beech 9 in. dia. bears S 35 W 12 lks. dist. &
a Do. 9 " " " N 72 E 26 " "
Level Beech Land -

East On Prandom between Sec. 9 & 16

40.00 Set temp. of Sec. post.

54.50 a Stream 3 lks. wide course S.

439

S. N. R. E. 2nd Mer. Indiana

ch. lks

80.00 Intersected the N. & S. line at the post.
Level Beech & Poplar Land

West Corrected between Sec. 9 & 16

40.00 Set q. Sec. post. at average dist. from which
a Beech 5 in. dia. bears S 23 E 4 lks. dist. &
a No. 5 " " " N 23 W 5 " "

60.00 to Section Corner

North Between Sec. 19 & 20

40.00 Set q. Sec. post. from which
a Sapafus 8 in. dia. bears N 14 E 16 lks. dist. &
a Beech 18 " " " N 51 W 25 " "

80.01 Set post Cor. to Sec. 17, 18, 19 & 20, from which
a Maple 15 in. dia. bears S 4 W 14 lks. dist. &
a Beech 15 " " " N 8 E 10 " "
Level Beech land

East On Between Sec. 17 & 20

40.00 Set temp. q. Sec. post.

79.75 Intersected the N. & S. line 15 lks. S. of post.
Over level Beech & Poplar Land

West Corrected between Sec. 17 & 20

39.87 Set q. Sec. post. at average dist. from which
a Beech 16 in. dia. bears S 69 E 38 lks. dist. &
a No. 12 " " " S 70 W 14 " "

79.75 to Section Corner

West Between Sec. 18 & 19

40.00 Set q. Sec. post. from which
a Beech 7 in. dia. bears East 12 lks. dist. &
a No. 14 " " " S 54 W 14 " "

74.15 Intersected the W. boundary at the post.
Over Beech Oak Poplar &c Land

440

T. M. E. 2nd Mer. Indiana ch. 11

North Between Sect. 17 & 18.

40.00 Set of. Sec. post. from which
 a Beech 18 in. dia. bears S 45 E 21 lks. dist. &
 a No. 11 " " " N 27 W 24 " "

80.00 Set post Cor. to Sect. 7, 8, 17 & 18, from which
 a Beech 7 in. dia. bears South 18 lks. dist. &
 a No. 16 " " " N 15 E 19 " "
 Level Beech Land

East On Prandom between Sect. 17 & 8

40.00 Set temp. of. Sec. post.

80.00 Intersected the N. & S. line at the post.
 over level Beech Land

West Correlated between Sect. 8 & 17

40.00 Set of. Sec. post. at average dist. from which
 a Beech 16 in. dia. bears N 61 W 16 lks. dist. &
 a No. 18 " " " S 31 E 26 " "

80.00 to Section Corner

West Between Sect. 7 & 18

40.00 Set of. Sec. post. from which
 a Sugar 10 in. dia. bears N 10 W 32 lks. dist. &
 a Beech 15 " " " S 17 W 25 " "

75.50 Intersected the W. boundary 5 lks. S. of post.
 Set post. Cor. to Sect. 7 & 18, from which
 a Poplar 14 in. dia. bears S 58 E 14 lks. dist. &
 a Beech 8 " " " N 82 W 15 " "
 Level Beech Ash Sugar &c. Land

North Between Sect. 11 & 12

40.00 Set of. Sec. post. from which
 a Beech 8 in. dia. bears N 40 E 9 lks. dist. &
 a No. 8 " " " N 64 W 39 " "

80.00 Set post Cor. to Sect. 1, 2, 11 & 12, from which
 a Beech 8 in. dia. bears East 7 lks. dist. &

Sec 1 NE, 2^d Mer. Indiana

441

Ch. 1/4

a Beech 8 in. dia. bears N 16 E 16 lbs. dist. 4
this mile low wet cold Sand Maple Beech
Brush Spice 3^d. rate

East On Random between Sec. 1 & 12

22.50 a Brook 8 lbs. wide Course S.

40.00 Set Temp. Y. of Sec. post.

79.60 Intersected the E. boundary 3 1/4 lbs. N. of post.
level Beech & Poplar

West Corrected between Sec. 1 & 12

39.80 Set of Sec. post. at average dist. from which
a Beech 14 in. dia. bears N 60 W 25 lbs. dist. 4
a No. 16 " " " S 48 E 19 " "

79.60 to Section Corner

North Between Sec. 1 & 2.

40.00 Set of Sec. post. from which
a Beech 16 in. dia. bears S 44 W 30 lbs. dist. 4
a Gum 12 " " " N 6 E 12 " "

79.38 Intersected the N. boundary 61 lbs. E. of post.
Set post Cor. to Sec. 1 & 2, from which
a Beech 14 in. dia. bears N 50 E 13 lbs. dist. 4
a No. 5 " " " S 80 W 25 " "
Level Beech Sugar &c. 2^d. rate

North Between Sec. 1 & 2.

40.00 Set of Sec. post. from which
a Beech 10 in. dia. bears S 50 E 9 lbs. dist. 4
a Sugar 18 " " " N 10 E 15 " "

42.00 a Brook 10 lbs. wide Course S. W.

80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which
a Sugar 18 in. dia. bears N 31 W 16 lbs. dist. 4
a Beech 16 " " " East 33 " "
Level Beech Poplar 3^d. rate Land

442

S. W. R. M. E. 2nd Mer. Indiana

Ch. lks

East On Random between Sec. 2 & 11

20.00 a Brook. 6 lks. wide course South.

40.00 Set temp. of. Sec. post.

80.00 Intersected the N. & S. line at the post.

Level Beech Poplar Sugar Spice Birch Land

West Connected between Sec. 2 & 11

40.00 Set of. Sec. post at average dist. from which
a Beech 18 in. dia. bears N 62 W 9 lks. dist. &

a No. 18 " " " S 45 W 19 " "

80.00 To Section Corner

North Between Sec. 2 & 3.

40.00 Set of. Sec. post, from which
a Beech 18 in. dia. bears South 23 lks. dist. &
a No. 15 " " " N 5 E 27 " "

75.00 a Brook 8 lks. wide course W.

80.50 Intersected the N. boundary 1.00 lks. E. of post.

Set post Corner to Sec. 2 & 3, from which

a Poplar 12 in. dia. bears West 10 lks. dist. &

a Beech 8 " " " East 16 " "

Level Land timber Beech &c. 3rd rate Cold Soil & wet

North Between Sec. 9 & 10.

40.00 Set of. Sec. post, from which
a Sugar 15 in. dia. bears S 43 E 8 lks. dist. &
a Beech 18 " " " N 80 W 18 " "

80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which

a Beech 18 in. dia. bears N 72 E 5 lks. dist. &

a Poplar 20 " " " S 72 W 26 " "

Level Beech Land

East On Random between Sec. 3 & 10

40.00 Set temp. of. Sec. post.

79.60 Intersected the N. & S. line at the post

Level 2nd rate Land as before

443

S. N. P. M. E. 2^d Mer. Indiana

Ch. L. H. y

Nest Connected between Sec. 3 & 10.

- 39.80 Set of. Sec. post. at average dist. from which
 a Beech 10 in dia. bears N 20 E 10 lhp. dist. &
 a No. 6 " " " S 15 E 20 " "
 79.60 to Section Corner

North Between Sec. 3 & 4

- 4.00 a Swamp to the W.
 40.00 Set of. Sec. post. from which
 a Beech 10 in. dia. bears S 40 W 8 lhp. dist. &
 a No. 8 " " " N 20 E 4 " "
 65.00 a Brook 6 lhp. wide Course W.
 80.00 Intersected the N. boundary 86 lhp. E. of post.
 Set post Cor. to Sec. 3 & 4, from which
 a Poplar 8 in. dia. bears S 80 E 16 lhp. dist. &
 a Beech 8 " " " N 6 W 5 " "
 level Beech &c. underg^t. Spruce 2nd rate -

North Between Sec. 8 & 9.

- 40.00 Set of. Sec. post. from which
 a Beech 9 in. dia. bears S 84 E 14 lhp. dist. &
 a W. Oak 15 " " " N 84 W 16 " "
 80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
 a Beech 10 in dia. bears N 77 E 35 lhp. dist. &
 a W. Oak 16 " " " S 77 W 14 " "
 Level Beech Poplar, Land

East On Random between Sec. 4 & 9.

- 40.00 Set temp. of. Sec. post.
 80.00 Intersected the N. & S. line at the post.
 a thick Saplin grove of Poplar, Gum, Ash &c.

Nest Connected between Sec. 4 & 9.

- 40.00 Set of. Sec. post. at average dist. from which
 a Beech 9 in. dia. bears S 37 E 14 lhp. dist. &
 a No. 11 " " " N 37 W 17 " "

444

S. N. P. M. E. 2^d. Mer. Indiana

ch. l. l. l. l.

80.00 to Section Corner

North Between Secs. 4 & 5

40.00 Set of Sec. post, from which

a Beech 9 in. dia. bears S 67 N 5 lks. dist. &

a Hickory 10 " " " N 67 E 3 " "

41.00 a Creek 12 lks. wide course N. W.

80.00 Intersected the N. boundary 14.25 lks. E. of post.

Set post cor. to Secs. 4 & 5, from which

a Beech 7 in. dia. bears East 17 lks. dist. &

a No. 25 " " " S 63 N 30 " "

Level Beech Oak Land

North Between Secs. 7 & 8

40.00 Set of Sec. post, from which

a Beech 9 in. dia. bears S 61 N 27 lks. dist. &

a No. 10 " " " N 18 E 31 " "

80.00 Set post. cor. to Secs. 5, 6, 7 & 8, from which

a Beech 9 in. dia. bears S 81 E 13 lks. dist. &

a No. 14 " " " N 85 N 21 " "

Land timber &c. Same as last mile

East On Random between Secs. 5 & 8.

40.00 Set temp. of Sec. post.

80.50 Intersected the N. & S. line 7 lks. S. of post.

Land Level Beech timber

West Corrected between Secs. 5 & 8

40.25 Set of Sec. post. at average dist. from which

a Beech 6 in. dia. bears S 21 E 16 lks. dist. &

a No. 10 " " " N 16 N 8 " "

80.50 to Section Corner

West Between Secs. 6 & 7

40.00 Set of Sec. post. from which

a Sassafras 6 in. dia. bears S 24 E 12 lks. dist.

St. PM E. 2^d Mer. Indiana 445
ch 2^d

76.00 a log w. 5 in. dia. bears N 60 E 9 lks. dist. &
Intersected the N. boundary 504 lks. S. of post.
Set post. Cor. to Sect. 6 & 70, from which
a Beech 18 in. dia. bears North 18 lks. dist. &
a Sugar 12 " " " S 40 E 9 " "
Level Beech & Poplar grove -

North Between Sect. 5 & 6
40.00 Set of. Sec. post. from which
a Beech 6 in. dia. bears West 10 lks. dist. &
a No. 15 " " " East 2 1/2 " "
80.77 Intersected the N. boundary 500 lks. E. of post.
Set post Cor. to Sect. 5 & 6, from which
a Beech 20 in. dia. bears East 24 lks. dist. &
a No. 7 " " " West 10 " "
Level land Beech Oak Poplar &c.

October 18th 1806
Surveyed By
Emmanuel Vantreesse
Deputy Surveyor Esq.

Comp^d

446

Township N. 6 North, Range N. 11 East, T. 2. Mer. Indiana

I certify, that the foregoing transcript of field notes of
Township N. 6 North, Range N. 11 East, T. 2. Mer. Indiana,
has been compared with the original notes in this Office,
and found to be correct.

Surveyor General's Office
Cincinnati, Nov. 15th. 1842

William Johnston
Sur. General